



PATONS

101 Courtelle Soft Quickerknit

Two sizes to fit up to 1 year, 18-20 inch chest

SC106

1/6d



Match the softness of your baby's skin with the gentleness of Patons 101 Courtelle Soft Quickerknit

These designs are suitable for all babies up to the age of 12 months

PLEASE READ THIS FIRST

Abbreviations

K.=knit; P.=purl; K.B.=knit into back of stitch; st.=stitch; sl.=slip; y.fwd.=yarn forward; y.r.n.=yarn round needle; y.o.n.=yarn on needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; ins.=inches; 0.=no stitches.

How to check your tension

Before you knit these designs check your tension carefully. Take a pair of No. 10 needles, cast on 14 stitches and work in stocking stitch—1 row knit; 1 row purl—for 18 rows. Cast off; press lightly on wrong side. The tension should be 14 sts. and 18 rows to two square inches and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

Sizes

The figures in square brackets [] refer to the large size.

For washing instructions see page 12.

Round neck cardigan

To fit chest	ins.	18	20
Length	ins.	9½	10
Sleeve seam (adjustable)	ins.	5½	6
Patons 101 Courtelle Soft Quickerknit	× 1 oz. balls	3	4

You must use the Patons brand recommended above to be sure of a successful result.

Two No. 12 and two No. 10 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. Six [six] buttons.

Tension

14 sts. and 18 rows to two square inches on No. 10 needles measured over stocking stitch. See above for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size range given and it is regretted that no other adaptations are available.

Tension

Correct tension is the secret of all successful knitting. Please knit a trial square before you start using your Patons 101 Courtelle—see note on How to Check Your Tension.



BACK

Using No. 12 needles, cast on 67 [73] sts.

Work in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1) for 1 inch, inc. 1 st. at end of last row on **18 inch size only** (68 [73] sts.).

Change to No. 10 needles and proceed in patt. as follows:—

1st row—K.1, P.2, * y.o.n., K.2 tog., P.3,

rep. from * to last 5 sts., y.o.n., K.2 tog., P.2, K.1.

2nd row—* K.3, P.2, rep. from * to last 3 sts., K.3.

3rd row—K.1, P.2, * K.2 tog., y.r.n., P.3, rep. from * to last 5 sts., K.2 tog., y.r.n., P.2, K.1.

4th row—* K.3, P.2, rep. from * to last 3 sts., K.3.

These 4 rows form the patt.

Knitting st. at both ends of every row throughout, continue in patt. until work measures 5 ins. from beg., finishing with right side facing for next row.

Shape raglan armholes as follows:—

**** 1st row**—Cast off 4, K. to end.

2nd row—Cast off 4, P. to last st., K.1.

3rd row—K.1, K.2 tog. t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1. **

Rep. 3rd and 4th rows until 22 [23] sts. remain, finishing at end of a 3rd row.

Cast off.

RIGHT FRONT

Using No. 12 needles, cast on 33 [35] sts.

Work in moss stitch for 1 inch, inc. 1 st. at beg. of last row on **20 inch size only** (33 [36] sts.).

Change to No. 10 needles and proceed in patt. as follows:—

1st row—P.3 [P.1], * y.o.n., K.2 tog., P.3, rep. from * to last 5 sts., y.o.n., K.2 tog., P.2, K.1.

2nd row—* K.3, P.2, rep. from * to last 3 [1] sts., K.3 [K.1].

3rd row—P.3 [P.1], * K.2 tog., y.r.n., P.3, rep. from * to last 5 sts., K.2 tog., y.r.n., P.2, K.1.

4th row—* K.3, P.2, rep. from * to last 3 [1] sts., K.3 [K.1].

Continue in patt. until work measures same as Back to armhole shaping, finishing at side edge.

Shape raglan armhole as follows:—

1st row—Cast off 4, P. to end.

2nd row—K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to end.

Rep. 2nd and 3rd rows until 18 [19] sts. remain, finishing at front edge.

Shape neck

Next row—Cast off 5 [6], K. to last 3 sts., K.2 tog., K.1.

Dec. 1 st. at neck edge on next and every alt. row until 4 dec. have been worked at neck

edge, **at the same time** continue dec. at armhole edge as before until 1 st. remains.

Fasten off.

LEFT FRONT

Work to match Right Front, reversing all shapings, **noting** that tog. t.b.l. will be worked in place of tog. at armhole shaping, placing patt. as follows:—

1st row—K.1, P.2, * y.o.n., K.2 tog., P.3, rep. from * to last 0 [3] sts., 0 [y.o.n., K.2 tog., P.1].

2nd row—K.3 [1], * P.2, K.3, rep. from * to end.

3rd row—K.1, P.2, * K.2 tog., y.r.n., P.3, rep. from * to last 0 [3] sts., 0 [K.2 tog., y.r.n., P.1].

4th row—K.3 [1], * P.2, K.3, rep. from * to end.

SLEEVES

Using No. 12 needles, cast on 39 [41] sts.

Work in moss stitch for 1 inch.

Next row—Moss stitch 4 [2], (inc. in next st., moss stitch 9 [5]) 3 [6] times, inc. in next st., moss stitch to end (43 [48] sts.).

Change to No. 10 needles and proceed in patt. as on Back, inc. 1 st. in first and last but one st. on 5th row following and every following 6th [7th] row until there are 53 [58] sts.

Continue on these sts. until work measures 5½ [6] ins. from beg. (adjust length at this point).

Shape top by working from ** to ** as on Back, then rep. 3rd and 4th rows until 7 [8] sts. remain, finishing at end of a 3rd row.

Cast off.

RIGHT FRONT BAND

Using No. 12 needles, cast on 9 sts.

1st row—(K.1, P.1) 4 times, K.1.

Rep. this row 5 [3] times more.

Next row—Moss stitch 4, cast off 1, moss stitch to end.

Next row—Moss stitch 4, cast on 1, moss stitch to end.

Continue in moss stitch working a buttonhole as on last 2 rows on every following 17th and 18th [19th and 20th] rows from previous buttonhole until 5 buttonholes **in all** have been worked.

Work 13 [17] rows more.

Slip sts. on to a safety pin.

LEFT FRONT BAND

Omitting buttonholes work to match Right Front Band, working 1 row less.

TO MAKE UP AND NECKBAND

With wrong side of work facing, block each

piece by pinning out round edges. Press each piece **very lightly** using a **cool** iron and **dry** cloth. Using a flat seam, join side and sleeve seams and stitch Sleeves into position. Stitch Front Bands into position. With right side of work facing, slip 9 slip sts. from top of Right Front Band on to No. 12 needle, **knit up** 51 [61] sts. round neck, moss stitch across 9 sts. from top of Left Front Band (69 [79] sts.). Work 10 rows in moss stitch working a buttonhole as before on 4th and 5th [2nd and 3rd] rows. Cast off.

Attach buttons. Press seams.

Pretty jacket with bow

To fit chest	ins.	18	20
Length at centre back	ins.	10 $\frac{1}{4}$	11 $\frac{3}{4}$
Sleeve seam	ins.	5 $\frac{1}{2}$	6
Patons 101 Courtelle Soft Quickerknit	× 1 oz. balls	3	4

You must use the Patons brand recommended above to be sure of a successful result.

Two No. 12 and two No. 10 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. 1 length of $\frac{1}{4}$ inch wide ribbon.

Tension

14 sts. and 18 rows to two square inches on No. 10 needles measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size range given and it is regretted that no other adaptations are available.

Tension

Correct tension is the secret of all successful knitting. Please knit a trial square before you start using your Patons 101 Courtelle – see note on How to Check Your Tension.

BACK

Using No. 12 needles and the **two** needle method, cast on 85 [97] sts.

****** Work 4 rows in stocking stitch.

Next row—K.1, * y.fwd., K.2 tog., rep. from * to end.

Commencing with a P. row work 5 rows in stocking stitch.

Next row—**Make Hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

Next row—K.1, P. to last st., K.1.



Change to No. 10 needles and proceed in **patt.** as follows:—

1st row—* K.4, P.2 tog., y.o.n., K.1, y.r.n., P.2 tog., K.3, rep. from * to last st., K.1.

2nd and alt. rows—K.1, P. to last st., K.1.

3rd row—* K.4, y.r.n., P.2 tog., K.1, P.2 tog., y.o.n., K.3, rep. from * to last st., K.1.

5th row—As 3rd row.

7th row—As 1st row.

9th row—* K.1, y.r.n., P.2 tog., K.7, P.2 tog., y.o.n., rep. from * to last st., K.1.

11th row—* K.1, P.2 tog., y.o.n., K.7, y.r.n., P.2 tog., rep. from * to last st., K.1.

13th row—As 11th row.

15th row—As 9th row.

16th row—K.1, P. to last st., K.1.

These 16 rows form the **patt.**

Continue in **patt.** until work measures 5 [6] ins. (approx.) from lower edge, finishing at end of an 8th [16th] row of **patt.** **

Next row—K.0 [3], (K.2 tog., K.3 [2]) 17 [23] times, K.0 [2]. (68 [74] sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.0 [1], * y.fwd., K.2 tog., rep. from * to last 0 [1] st., K.0 [1].

Knitting st. at both ends of every row and commencing with a P. row, work 3 rows in stocking stitch.

Shape raglan armholes as follows:—

*** **1st and 2nd rows**—Cast off 3, work to end.

3rd row—K.1, K.2 tog. t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep 3rd and 4th rows once more. ***

Work holes for ribbon as follows:—

Next row—K.1, K.2 tog. t.b.l. [K.1, y.fwd., K.3 tog. t.b.l.], * y.fwd., K.2 tog., rep. from * to last 3 [4] sts., K.2 tog., K.1 [y.fwd., K.3 tog., K.1].

Next row—K.1, P. to last st., K.1.
Rep. 3rd and 4th rows of raglan shaping until 22 [24] sts. remain, finishing at end of a 3rd row.
Cast off.

RIGHT FRONT

Using No. 12 needles and the **two** needle method, cast on 49 [49] sts.
Work from ** to ** as on Back.

Next row—K.2 [1] (K.2 tog., K.1 [2]) 15 [12] times, K.2 [0]. (34 [36] sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.2, * y.fwd., K.2 tog., rep. from * to last 0 [1] st., K.0 [1].

Knitting st. at both ends of every row, commencing with a P. row, work 4 rows in stocking stitch.

Shape raglan armhole as follows:—

1st row—Cast off 3, P. to end.

2nd row—K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last st., K.1.

Rep. 2nd and 3rd rows once more.

Shape front slope and work row of holes for ribbon as follows:—

Next row—K.2 tog., * y.fwd., K.2 tog., rep. from * to last 3 [4] sts., K.2 tog., K.1 [y.fwd., K.3 tog., K.1].

Next row—K.1, P. to last st., K.1.

Continue dec. at armhole edge as on 2nd and 3rd rows of raglan shaping, **at the same time** dec. 1 st. at front edge on 2nd row following and every following 3rd row until 5 sts. remain.

Continue dec. at armhole edge **only** until 1 st. remains.

Fasten off.

LEFT FRONT

Using No. 12 needles, cast on 49 [49] sts.

Work as Back from ** to **.

Next row—K.2 [0], (K.2 tog., K.1 [2]) 15 [12] times, K.2 [1] (34 [37] sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.0 [1], * y.fwd., K.2 tog., rep. from * to last 2 sts., K.2.

Knitting st. at both ends of every row,

commencing with a P. row proceed in stocking stitch until work measures same as Back to armhole shaping, finishing at side edge.

Shape raglan armhole as follows:—

1st row—Cast off 3, K. to end.

2nd row—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog. t.b.l., K. to end.

4th row—K.1, P. to last st., K.1.

Rep. 3rd and 4th rows once more.

Shape front slope and work row of holes as follows:—

Next row—K.1, K.2 tog. t.b.l. [K.1, y.fwd., sl.1, K.2 tog., p.s.s.o.], * K.2 tog., y.fwd., rep. from * to last 2 sts., K.2 tog.

Next row—K.1, P. to last st., K.1.

Complete to match Right Front, reversing all shapings.

SLEEVES

Using No. 12 needles and the **two** needle method, cast on 31 [33] sts.

Work 4 rows in stocking stitch.

Next row—K.1, * y.fwd., K.2 tog., rep. from * to end.

Commencing with a P. row, work 5 rows in stocking stitch.

Next row—**Make hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

Next row—P.2 [2], (inc. in next st., P.4 [8]) 5 [3] times, inc. in next st., P. to end (37 sts.).

Change to No. 10 needles and commencing with a 1st [5th] row of patt., proceed in patt. as on Back, inc. 1 st. in first st. and last but one st. on 3rd row following and every following 6th [5th] row until there are 51 [55] sts.

Work 1 row, thus finishing at end of an 8th [16th] row of patt.

18 inch size only

Next row—K.2 tog., K. to end (50 sts.).

20 inch size only

Next row—Inc. in first st., K. to end (56 sts.).

Both sizes

Next row—K.1, P. to last st., K.1.

Next row—K.1 [0], * y.fwd., K.2 tog., rep. from * to last 1 [0] st., K.1 [0].

Knitting st. at both ends of every row and commencing with a P. row, work 3 rows in stocking stitch.

Shape top by working from *** to *** as on Back.

Work holes for ribbon as follows:—

Next row—K.1, y.fwd., sl.1, K.2 tog., p.s.s.o. [K.1, K.2 tog t.b.l.], * y.fwd., K.2 tog., rep. from * to last 4 [3] sts., y.fwd., K.3 tog., K.1, [K.2 tog., K.1].

Next row—K.1, P. to last st., K.1.

Rep. 3rd and 4th rows of raglan shaping as on Back until 4 [6] sts. remain.

Cast off.

TO MAKE UP AND FRONT BAND

With wrong side of work facing, block each piece by pinning out round edges.

Press each piece **very lightly** using a **cool** iron and **dry** cloth.

Using a flat seam, join side and sleeve seams and stitch Sleeves into position.

Using No. 12 needles with right side facing, **knit up** 38 [46] sts. from top of hem of Right Front to beg. of front slope, 39 [44] sts. to centre back of neck, 39 [44] sts. to end of front slope, 37 [45] sts. to top of hem of Left Front (153 [179] sts.).

Commencing with a P. row, work 5 rows in stocking stitch.

Next row—K.1, * y.fwd., K.2 tog., rep. from * to end.

Commencing with a P. row, work 4 rows in stocking stitch.

Cast off loosely.

TO COMPLETE MAKE UP

Fold Front Band at row of holes to wrong side and flat-stitch into position to form picot edge. Stitch corners of hem together. Insert ribbon through rows of holes and tie in bows at front. Press seams.

V-neck cardigan for a little boy or girl

To fit chest	ins.	18	20
Length	ins.	10½	11
Sleeve seam (adjustable)	ins.	5½	6½
Patons 101 Courtelle Soft Quickerknit	× 1 oz. balls	4	4

You must use the Patons brand recommended above to be sure of a successful result.

Two No. 12 and two No. 10 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. Four [four] buttons.

Tension

14 sts. and 18 rows to two square inches on No. 10 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size range given and it is regretted that no other adaptations are available.

Tension

Correct tension is the secret of all successful knitting. Please knit a trial square before you start using your Patons 101 Courtelle – see note on How to Check Your Tension.

BACK

Using No. 12 needles, cast on 72 [80] sts.
Work in K.1, P.1 rib for 1 inch, inc. 1 st. at end of last row (73 [81] sts.).

Change to No. 10 needles and proceed in **continental stocking stitch** as follows:—

1st row—K.1, K.B. to last st., K.1.

2nd row—K.1, P. to last st., K.1.

Continue as on last 2 rows until work measures 5½ ins. from beg., finishing with **wrong** side facing for next row (adjust length at this point).

Next row—Cast off 2 [4] work to last 2 [4] sts., cast off 2 [4].

Break off yarn.

Rejoin yarn and **shape raglan armholes** by dec. 1 st. at both ends of next and every alt. row until 18 [17] dec. have been worked, then dec. 1 st. at both ends of every 3rd row until 25 [27] sts. remain.

Cast off.

RIGHT FRONT

Using No. 12 needles, cast on 36 [40] sts.
Work in K.1, P.1 rib for 1 inch.

Change to No. 10 needles and knitting st. at both ends of every row, proceed in continental stocking stitch until work measures one row less than Back to armhole shaping, finishing with right side facing for next row.

Commence front slope as follows:—

Next row—K.2 tog., work to end.

Next row—Cast off 2 [4], work to end.

Continue front slope and **shape raglan armhole** as follows:—

Next row—Work to last 2 sts., work 2 tog.


Next row—Work all across.

Next row—Work 2 tog., work to last 2 sts., work 2 tog.

Next row—Work all across.

Rep. last 4 rows until 18 [17] armhole dec. have been worked.

Still dec. at front edge on every 4th row as before, dec. 1 st. at armhole edge on every 3rd row until 11 [12] front dec. **in all** have been worked.



Continue dec. at armhole edge **only** on every 3rd row from previous dec. until all sts. are worked off.

LEFT FRONT

Work to match Right Front, reversing all shapings.

SLEEVES

Using No. 12 needles cast on 48 [52] sts.
Work in K.1, P.1 rib for 1 [1½] ins.



BACK

Using No. 12 needles, cast on 68 [74] sts.
Proceed in garter stitch (every row K.) for 1 inch.

Change to No. 10 needles and knitting st. at both ends of every row throughout, proceed in stocking stitch until work measures $5\frac{1}{2}$ ins. from beg., finishing at end of a P. row.

Shape raglan armholes as follows:—

1st and 2nd rows—Cast off 3, work to end.

3rd row—K.2, K.2 tog. t.b.l., K. to last 4 sts., K.2 tog., K.2.

4th row—K.2, P. to last 2 sts., K.2.

Rep. 3rd and 4th rows until 22 [24] sts.

remain, finishing at end of a 3rd row.
Cast off.

RIGHT FRONT

Using No. 12 needles, cast on 34 [37] sts.

Proceed in garter stitch for 1 inch.

Change to No. 10 needles and proceed in stocking stitch with **panel patt.** as follows:—

1st row—K.9 [10], P.3, K.1, P.3, K to end.

2nd row—K.1, P.17 [19], K.3, P.1, K.3, P. to end.

3rd row—K.8 [9], y.fwd., K.2 tog. t.b.l., P.2, K.1, P.2 K.2 tog., y.fwd., K. to end.

4th row—K.1, P.18 [20], K.2, P.1, K.2, P. to end.

5th row—K.9 [10], y.fwd., K.2 tog. t.b.l., P.1, K.1, P.1, K.2 tog., y.fwd., K. to end.

6th row—K.1, P.19 [21], K.1, P.1, K.1, P. to end.

7th row—K.10 [11], y.fwd., K.2 tog. t.b.l., K.1, K.2 tog., y.fwd., K. to end.

8th row—K.1, P. to end.

9th row—K.11 [12], y.fwd., sl.1, K.2 tog., p.s.s.o., y.fwd., K. to end.

10th row—K.1, P. to end.

These 10 rows form the panel patt.

Continue in stocking stitch with centre panel as on last 10 rows until work measures same as Back to armhole shaping, finishing with **wrong** side facing for next row.

Keeping panel patt. correct **shape raglan armholes and front slope** as follows:—

1st row—Cast off 3, patt. to end.

2nd row—Patt. to last 4 sts., K.2 tog., K.2.

3rd row—K.2, patt. to end.

4th row—K.2 tog., patt. to last 4 sts., K.2 tog., K.2.

5th row—As 3rd row.

6th row—Patt. to last 4 sts., K.2 tog., K.2.

7th row—K.2, patt. to last 2 sts., P.2 tog.

Continue dec. at armhole edge on next and every alt. row as before, **at the same time** dec. 1 st. at front edge on every following 3rd row until 10 [11] dec. **in all** have been worked at front edge.

Continue dec. at armhole edge **only** as before until all sts. are worked off.

LEFT FRONT

Using No. 12 needles, cast on 34 [37] sts.
Proceed in garter stitch for 1 inch.

Change to No. 10 needles and proceed in stocking stitch with panel patt. as follows:—

1st row—K.18 [20], P.3, K.1, P.3, K. to end.

2nd row—P.9 [10], K.3, P.1, K.3, P. to last st., K.1.

3rd row—K.17 [19], y.fwd., K.2 tog. t.b.l., P.2, K.1, P.2, K.2 tog., y.fwd., K. to end.

4th row—P.10 [11], K.2, P.1, K.2, P. to last st., K.1.

5th row—K.18 [20], y.fwd., K.2 tog. t.b.l., P.1, K.1, P.1, K.2 tog., y.fwd., K. to end.

6th row—P.11 [12], K.1, P.1, K.1, P. to last st., K.1.

7th row—K.19 [21], y.fwd., K.2 tog. t.b.l., K.1 K.2 tog. y.fwd., K. to end.

8th row—P. to last st., K.1.

9th row—K.20 [22], y.fwd., sl.1, K.2 tog., p.s.s.o., y.fwd., K. to end.

10th row—P. to last st., K.1.

These 10 rows form the panel patt.

Complete to match Right Front reversing all shapings, **noting** that tog. t.b.l. will be worked in place of tog. at armhole shaping.

SLEEVES

Using No. 12 needles, cast on 36 [38] sts.
Proceed in garter stitch for $\frac{3}{4}$ inch.

Next row—K.4, (inc. in next st., K.8 [5]) 3 [5] times, inc. in next st., K. to end (40 [44] sts.).

Change to No. 10 needles and knitting st. at both ends of every row throughout, proceed

in stocking stitch inc. 1 st. in first st. and last but one st. on 3rd row following and every following 6th [7th] row until there are 52 [56] sts.

Continue on these sts. until work measures $5\frac{1}{2}$ [6] ins. from beg., finishing at end of a P. row, (adjust length at this point).

Shape top by working 1st to 4th row of raglan shaping as on Back, then rep. 3rd and 4th rows until 6 sts. remain, finishing at end of a 3rd row.

Cast off.

FRONT BAND

Using No. 12 needles, cast on 5 sts.

K. 8 rows.

Next row—K.2, y.fwd., K.2 tog., K.1.

Next row—K.

Working a buttonhole as on last 2 rows on every 17th and 18th rows from previous buttonhole, continue in garter stitch until 5 buttonholes **in all** have been worked.

Continue in garter stitch until work measures 23 [24] ins. from beg.

Cast off.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges. Press each piece **very lightly** using a **cool** iron and **dry** cloth. Using a flat seam join side and sleeve seams and stitch Sleeves into position. Using a flat seam stitch Front Band into position. Attach buttons. Press seams.

Patons 101 Courtelle – washing by hand or machine

You can wash Patons 101 Courtelle by hand or machine (wool or delicate fibres cycle) with perfect satisfaction. Wash frequently to avoid over-soiling. Temperature 40°C or 104°F, comfortably hot to hand. Use washing agents in accordance with makers' instructions—fully dissolved. Rinse thoroughly – at least twice – adding a softener to the final rinse for perfect results. Remove excess moisture by squeezing or rolling in towel or spin-drying. Shape out and dry flat. Pressing should be unnecessary but if desirable use cool iron lightly on wrong side only when completely dry.

Please address knitting enquiries concerning this booklet to Mrs. Sarah Bell, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex. Prices apply only in Great Britain and Northern Ireland

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co. Ltd, Bradford and London

38490