





AUTUMN

alpine

Subtle motifs of a tree, a house and a skier evoke memories of elegant alpine resorts and good times on the ski slopes.

AUTUMN

Alpine Sweater

PHOTOGRAPH THIS PAGE

Materials

12 50 gram balls of "Patricia Roberts Extra Thick Cotton". A pair each of size $3\frac{1}{4}$ mm and 4 mm Aero knitting needles and a thick cable needle.

Colour

Coral

Needle Sizes

Use size 4 mm needles for those referred to as size "A" and size $3\frac{1}{4}$ mm for those referred to as size "B".

WINTER

Alpine Sweater

PHOTOGRAPH PAGE 157

Materials

12 100 gram balls of "Patricia Roberts Extra Thick Wool". A pair each of size $3\frac{3}{4}$ mm and $4\frac{1}{2}$ mm Aero knitting needles and a thick cable needle.

Colour


Pink

Needle Sizes

Use size $4\frac{1}{2}$ mm needles for those referred to as size "A" and size $3\frac{3}{4}$ mm for those referred to as size "B".

Abbreviations

cable 12, thus, slip next 6 sts. onto a cable needle and leave at front of work, k.6, then k.6 from cable needle ■ cr.2rt., cross 2 right thus, k. into back of 2nd st. on left-hand needle, then into front of first st. ■ cr.2lt., cross 2 left thus, k. into front of 2nd st. on left-hand needle, then into back of first st. ■ 3 from 3, thus, p.



AUTUMN

Alpine Sweater

RIGHT

WINTER

Alpine Sweater

PAGE 157



AUTUMN



next 3 sts. tog. without dropping sts. from left-hand needle, y.r.n., then p. these 3 sts. tog. again ■ m.b., make bobble thus, k.1, y.r.n., k.1 all into one st., turn, k.3, turn, p.3tog.


Tension

64 stitches, 1 repeat of the cable pattern, to 25 cm (12 in) in width and 24 rows to 8 cm (3¼ in) in depth, using size "A" needles.

Sweater Pattern

Measurements

Underarms: 135 cm (54 in). Side seam: 55 cm (22 in). Length: 81 cm (32½ in). Sleeve seam: 42.5 cm (17 in).





Back

With size "B" needles cast on 144 sts. and work 24 rows in double rib.

Change to size "A" needles and work in cable pattern as follows:

1st row: P.2, * k.12, p.2 **, k.7, p.2, k.7, p.2; repeat from * ending last repeat at **.

2nd row: * P.16, k.1, p.14, k.1; repeat from * until 16 remain, p.16.

3rd row: * P.2, k.12, p.2 **, k.1, p.1, k.5, p.2, k.5, p.1, k.1; repeat from * ending last repeat at **.

4th row: * P.16, k.1, p.1, k.1, p.10, k.1, p.1, k.1; repeat from * until 16 remain, p.16.

5th row: * P.2, k.12, p.2 **, k.1, p.1, k.1, p.1, k.3, p.2, k.3, p.1, k.1, p.1, k.1; repeat from * ending last repeat at **.

6th row: * p.16, k.1, (p.1, k.1) twice, p.6, (k.1, p.1)

twice, k.1; repeat from * until 16 remain, p.16.

7th row: * P.2, cable 12, p.2 **, k.1, (p.1, k.1) 3 times, p.2, k.1, (p.1, k.1) 3 times; repeat from * ending last repeat at **.

8th row: As 6th row.

9th to 12th rows: Work the 5th row back to the 2nd row.

13th to 24th rows: As 1st to 12th rows.



25th to 30th rows: As 1st to 6th rows.

31st row: * P.2, k.12, p.2 **, k.1, (p.1, k.1) 3 times, p.2, k.1, (p.1, k.1) 3 times, p.2, cable 12, p.2, k.1, (p.1, k.1) 3 times, p.2, k.1, (p.1, k.1) 3 times, *; repeat from * to * once, then from * to **.

32nd to 36th rows: As 8th to 12th rows.

The last 36 rows form the cable pattern. Work the first 2 rows again.

Now continuing in cable pattern as set, inset the patterns from the charts as follows:



****Next row:** Work in cable pattern as set across 25 sts., then work as given for first row of Chart A across the next 30 sts. Work 34 sts. in cable pattern as set, then work as given for first row of Chart B over the next 30 sts.; work to end in cable pattern.

Next row: Work 25 sts. in cable pattern, then 30 sts. from 2nd row of Chart B, cable pattern 34, then pattern 30 sts. as given for 2nd row of Chart A, cable pattern 25 sts. ******

The last 2 rows set the position of the patterns given in the charts. Now work the 3rd to 58th rows as set. Work 38 rows in cable pattern.

Reading Chart B for Chart A and Chart C for Chart B, work from ****** to ******. Continuing in cable pattern with the patterns from Charts B and C as set, work 2 rows.

To shape the armholes: Continuing in cable pattern, with patterns from the charts as set, cast off 10 sts. at the beginning of the next 2 rows, then dec. 1 st. at each end of the next row and the 12 following alternate rows. *******

On 98 sts. pattern 27 rows to complete the patterns from the charts. Work 24 rows in cable pattern.

To slope the shoulders: Cast off 28 sts. at the beginning of the next 2 rows.

Cast off the remaining 42 sts.

Front

Work as given for back until ******* is reached.

Pattern 26 rows as set.

Now divide the sts. for the neck:

Next row: Pattern 40 and leave these sts. on a spare needle until required for right front shoulder, cast off 18 sts. for the neck, pattern to end and continue on these sts. for the left front shoulder.

Left front shoulder: To shape the neck: Dec. 1 st. at the neck edge on the next 12 rows.

On 28 sts. pattern 12 rows.

To slope the shoulder: Cast off.

Right front shoulder: With right side of work facing rejoin yarn to inner edge of sts. left on spare needle and work to end of row, then work as given for left front shoulder to end.

Collar

With size "B" needles cast on 108 sts. and work 46 rows in double rib, then cast off very loosely, using a size larger needle.

Sleeves

Both alike: With size "B" needles cast on 48 sts. and work 20 rows in double rib.

Change to size "A" needles and work the first 12 cable pattern rows as given for back. These 12 rows form the repeat pattern for the sleeves.

Maintaining the continuity of the pattern and working the extra sts. into the pattern as they occur, inc. 1 st. at each end of the next row and the 24 following 4th rows. On 98 sts. pattern 7 rows.

To shape the sleeve top: Cast off 10 sts. at the beginning of the next 2 rows, then dec. 1 st. at each end of the next row and the 8 following alternate rows, then at each end of the next 5 rows. Cast off 5 sts. at the beginning of the next 8 rows. Cast off the remaining 10 sts.

Making Up

Do not press. Join shoulder seams. Set in sleeves. Join sleeve and side seams. Join row ends of collar for 2.5 cm (1 in) on Autumn Sweater or completely on Winter Sweater. Neatly sew *cast off* edge in place all round neck edge with seam to centre front on Autumn Sweater or to left front shoulder on Winter Sweater.

