


Sujet : Your Mail Tester Results! 10/15/2018 11:34:51 AM UTC
De : "Unlock The Inbox" <mailto:mailtest@unlocktheinbox.com>
Date : 15.10.18 à 13:34
Pour : Burotec Sàrl <mailto:info@burotec-sarl.com>

[Check out our New Inbox Placement And Spam Detector Toolbox](#)

To share or view this report on the web use this link:

<https://www.unlocktheinbox.com/mail-tester/QUZcXPskUBs=/>

- * The link above will expire in 30 days and will not be indexed by search engines.
- * **Link to Case Study:** [Always test your emails or it can cost you the presidency.](#)
- * **Advertisement:** [Zerobounce – The Best Email Validation System that will actually give you the First & Last name of your emails.](#)



If you are making changes to DNS And re-testing, please allow some time for DNS propagation to fully take effect.

Email Issue Summary	
Warnings	Criticals
5	5

Publication: RFC 822	
Header Information	
Name	Value
return-path	<mailto:info@burotec-sarl.com>
received	from pcm.fast-hosting.ch (pcm.fast-hosting.ch [81.62.204.53]) by mail.unlocktheinbox.com with SMTP; Mon, 15 Oct 2018 07:32:47 -0400
received	from Mac-mini-de-Yann-Gotti.local (unknown [46.140.25.98]) (Authenticated sender: info@burotec-sarl.com) by pcm.fast-hosting.ch (Postfix) with ESMTPA id 58893110C5E1 for

	<mailto:unlocktheinbox.com>; Mon, 15 Oct 2018 13:30:18 +0200 (CEST)
dmARC-filter	OpenDMARC Filter v1.3.0 pcm.fast-hosting.ch 58893110C5E1
authentication-results	pcm.fast-hosting.ch/58893110C5E1; dmarc=fail header.from=burotec-sarl.com
DKIM-filter	OpenDKIM Filter v2.9.2 pcm.fast-hosting.ch 58893110C5E1
DKIM-signature	v=1; a=rsa-sha256; c=relaxed/simple; d=burotec-sarl.com; s=mail; t=1539603018; bh=m9YWBGep3XofpEYZeh/TCL7bvgl5G3WTRAHwvOt FXkI=; h=Subject:From:To:References:Date:In-Reply-To:From; b=Sm5LzgWe2lQTDz/UqHbXg1W2r1K8Spit0ndqCS3TK LmCUjAmeK5HKCGHG77ghjM0G 0zO3v9b6rxev7gRUz5ZQsIrI0yMKCbVaGBED7XfNkzV3 6p474xQssdnH6wzkZzExh+ /6iz0Zyler00CTiSIDmSxuPdAWzyPvZ96vHG6Z0M=
subject	217b99a7-ceb3-489e-97cb-aa01b9d74852
from	=?UTF-8?Q?Burotec_S=c3=a0rl?= <info@burotec-sarl.com>
to	mailto:unlocktheinbox.com
references	<5575efea72ddd7117d6ab6d8fd5c8311@burotec-sarl.com>
message-id	<bee4070d-461b-3a7b-f8a8-f3a9cf3144c8@burotec-sarl.com>
disposition-notification-to	=?UTF-8?Q?Burotec_S=c3=a0rl?= <info@burotec-sarl.com>
date	Mon, 15 Oct 2018 13:32:38 +0200
user-agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.14; rv:60.0) Gecko/20100101 Thunderbird/60.0
mime-version	1.0
in-reply-to	<5575efea72ddd7117d6ab6d8fd5c8311@burotec-sarl.com>
content-type	text/plain; charset=utf-8; format=flowed
content-transfer-encoding	8bit
content-language	fr

Publication: [RFC 5322](#)

Header Counts

Name	Count	Result
From	1	Passed

Date	1	Passed
To	1	Passed
CC	0	Passed
BCC	0	Passed
Reply-To	0	Passed
In-Reply-To	1	Passed
Message-ID	1	Passed
Subject	1	Passed
References	0	Passed
Sender	0	Passed

Authoritative DNS Server (SOA) Check for: burotec-sarl.com	
SOA Server	Results
ns1.gandi.net	Passed

MX Records		
Pref	Value	Blacklists
10	mail.burotec-sarl.com	Check for Blacklists

Information: PTR Records	
rDNS PTR Records	
Records	Results
Domain:	mail.burotec-sarl.com
- Type:	MX
- IP Address:	81.62.204.53
- ARPA Record:	53.204.62.81.in-addr.arpa.
- rDNS PTR Record:	pcm.fast-hosting.ch
- rDNS Generic Test:	Passed
- FCrDNS PTR Test:	Passed
- RDNS PTR Count:	1 Found - Passed
Domain:	mail.burotec-sarl.com
- Type:	MX
- IP Address:	2a02:121e:39b9::6a8e
- ARPA Record:	e.8.a.6.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.9.b.9.3.e.1.2.1.2.0.a.2.ip6.arpa.
- rDNS PTR Record:	pcm.fast-hosting.ch

- rDNS Generic Test:	Passed
- FCrDNS PTR Test:	Passed
- RDNS PTR Count:	1 Found - Passed
Domain:	pcm.fast-hosting.ch
- Type:	LSIP
- IP Address:	81.62.204.53
- ARPA Record:	53.204.62.81.in-addr.arpa.
- rDNS PTR Record:	pcm.fast-hosting.ch
- rDNS Generic Test:	Passed
- FCrDNS PTR Test:	Passed
- RDNS PTR Count:	1 Found - Passed

Last Sending Domain Name - A Record Test	
Domain	Results
pcm.fast-hosting.ch	Passed - A Record Was Found in DNS

Mail Flow	
Mail Domain	IP Address
pcm.fast-hosting.ch	81.62.204.53
Mac-mini-de-Yann-Gotti.local	46.140.25.98

Client EHLO Split IP Test	
EHLO	Results
pcm.fast-hosting.ch	Passed

ISIPP Email Certification and Accreditation	
Mail Server IP	Result
81.62.204.53	Not Listed - Learn more about Email Certification

Email Date Test	
Date	Result
10/15/2018 7:32:38 AM	Passed

RFC5322.FROM - Address Specification Test - Section 3.4

5322.FROM Result

=?UTF-8?Q?Burotec_S=c3=a0rl?=<info@burotec-sarl.com>	Passed
--	--------

MIME - Syntax Check - RFC2045 - Message Header

Header Value Result

MIME-Version:	1.0	Passed
Content-Type:	text/plain; charset=utf-8; format=flowed	Passed
Content-Transfer-Encoding:	8bit	Passed

Email Port Checks for: mail.burotec-sarl.com

Protocol Results

SMTP (Port 25):	Connection Established
- Time To Connect:	30 Seconds - Critical (Long connection time - should not affect delivery - but should be looked into.)
- Extensions:	PIPELINING, SIZE, ETRN, AUTH, AUTH=PLAIN, ENHANCEDSTATUSCODES, 8BITMIME, DSN
- Server Greeting:	pcm.fast-hosting.ch ESMTP Postfix
- SSL Valid:	Critical: No SSL Certificate Found
MAIL Submission (Port 587):	Connection Established
- Time To Connect:	15 Seconds - Warning (Long connection time - should not affect delivery - but should be looked into.)
- Extensions:	PIPELINING, SIZE, ETRN, AUTH, AUTH=PLAIN, ENHANCEDSTATUSCODES, 8BITMIME, DSN
- Server Greeting:	pcm.fast-hosting.ch ESMTP Postfix
- SSL Valid:	Critical: No SSL Certificate Found
SMTP SSL (Port 465):	Warning: Unable to Establish Connection
POP3 (Port 110):	Warning: Unable to Establish Connection

POP3 SSL (Port 995):	Warning: Unable to Establish Connection
IMAP (Port 143):	Connection Established
- Time To Connect:	0 Seconds - Passed
- Extensions:	IMAP4rev1, LITERAL+, SASL-IR, LOGIN-REFERRALS, ID, ENABLE, IDLE, AUTH, AUTH
- Server Greeting:	[CAPABILITY IMAP4rev1 LITERAL+ SASL-IR LOGIN-REFERRALS ID ENABLE IDLE AUTH=PLAIN AUTH=LOGIN] Dovecot ready.
- SSL Valid:	Critical: No SSL Certificate Found
IMAP SSL (Port 993):	Warning: Unable to Establish Connection

Publication: [RFC 4408](#)

SPF Records

SmarterMail Check:	Passed
ARSoft Check:	Passed
SpamAssassin Check:	Temp Error - Learn how to set up SPF records by clicking here: SPF Records
SPF DNS Location:	Click Here: burotec-sarl.com
SPF Record in TXT (TYPE 16):	v=spf1 a mx a:mail.burotec-sarl.com ip4:81.62.204.53 ip6:2a02:121e:39b9::6a8e ~all
(TYPE 16) Syntax:	Passed
(TYPE 16) Length:	82 bytes
SPF Record in SPF (TYPE 99) (Obsolete):	Not Found - Learn about SPF (TYPE 99) Click Here
SPF Lookups:	2 - Passed

Information: [Identifier Alignments](#)

SPF Alignment Test (Used in DMARC ASPF Test)

Mail From/Return Path Domain:	burotec-sarl.com
From Domain:	burotec-sarl.com

SPF Identifier Alignment:	Strict
---------------------------	--------

Publication: [RFC 4406](#)

Sender ID

Sender ID Check:	Passed
Sender ID Record:	Uses SPF implementation above
Sender ID in SPF (TYPE 99) (Obsolete):	Not Found - Learn about SPF (TYPE 99) Click Here

Domain Keys Check (Obsolete)

Signature Found:	No - Learn how to set up Domain Keys by clicking here: DomainKeys Instructions
------------------	--

Public Domain Key (Obsolete)

Selector Location:	Not Found - Learn how to set up Domain Keys by clicking here: DomainKeys Instructions
--------------------	---

Publication: [RFC 6376](#)

DKIM Validation Check

Signature Found:	Yes
SmarterMail DKIM Test:	Passed
MailBee.NET DKIM Test:	Passed
LimiLabs DKIM Test:	Passed
SpamAssassin DKIM Test:	Passed

Publication: [RFC 6376](#)

DKIM Signature Additional Information

Tag	Value
Version:	v=1
Key Algorithm:	a=rsa-sha256
Canonicalization:	c=relaxed/simple
Domain Name:	d=burotec-sarl.com
Selector:	s=mail
Timestamp:	t=1539603018
Body Hash:	bh=m9YWBGep3XofpEYZeh/TCL7bvgI5G3WTRAHwvOtFXkI=

Signed Headers:	h=Subject:From:To:References:Date:In-Reply-To:From
Signature Data:	b=Sm5LzgWe2lQTDz/UqHbXg1W2r1K8Spit0ndqCS3TKLmCUjAmeK5HKCGHG77ghjM0G 0zO3v9b6rxev7gRUz5ZQsIrI0yMKCbVaGBED7XfNkzV36p474xQssdnH6wzkZzExh+ /6iz0Zyler00CTiSIDmSxuPdAWzyPvZ96vHG6Z0M=

Public DKIM Key	
Selector Location:	Click Here: mail. domainkey.burotec-sarl.com
DNS Record Found:	Yes
Record Syntax:	v=DKIM1; k=rsa; p=MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCuR6K6ON8yj4ULQH9Dnw/w+0SIBQWEX21ygGUVIF0u+Gc1xLyCjnkogtoU+nEvuIfOQonssPQwrNhpUiJmIpdkXUkM5GnY /2vYtOEOgigtIwznvG4nIC43Yk1hTnK7erwYyoHS6iuU8nrXH7b/0cV4wIvuWDADMy+cPwgB3WckVwIDAQAB
Key Size:	1024 bits
Record Length:	234 bytes

Publication: RFC 6376	
DKIM RFC Checks	
Signature Found:	Yes
From Signed:	Yes
Restricted Headers Signed:	No
Key Algorithm:	Passed
Canonicalization Syntax:	Passed

Information: Identifier Alignments	
DKIM Alignment Test (Used in DMARC ADKIM Test)	
DKIM d= Tag:	burotec-sarl.com
From Domain:	burotec-sarl.com
DKIM Identifier Alignment:	Strict

RFC Standard: DMARC RFC 7489	
DMARC Check	
Record Syntax:	Passed

DKIM Test:	Passed
SPF Test:	Passed
ADKIM Test:	Passed
ASPF Test:	Passed
RUA Test:	Passed
RUF Test:	Passed
DMARC Passed:	Yes
DMARC Record Location:	Click Here: _dmarc.burotec-sarl.com
DMARC Record:	v=DMARC1; p=quarantine; sp=reject; adkim=r; aspf=r; pct=100

Publication: [RFC 5617](#)

ADSP (Author Domain Signing Policy) Check (HISTORIC)

ADSP Record:	Not Found - Learn how to set up your ADSP record by clicking here: ADSP Record
ADSP Record Syntax:	Not Found

Publication: [RFC 822 \(6.3\)](#), [RFC 1123 \(5.2.7\)](#), [RFC 2821 \(4.5.1\)](#)

Acceptance of Postmaster Address

postmaster@burotec-sarl.com	Passed
-----------------------------	--------

Acceptance of Abuse Address

abuse@burotec-sarl.com	Passed
------------------------	--------

Spam Assassian Results

Content analysis details: (You scored 1.0 points, 5.0 or higher is considered to be spam)

Pts	Rule Name	Description
0.0	T_SPF_TEMPERROR	SPF: test of record failed (You scored temperror)
1.1	TRACKER_ID	BODY: Incorporates a tracking ID number
-0.1	DKIM_VALID_AU	Message has a valid DKIM or DK signature from author's domain
0.1	DKIM_SIGNED	Message has a DKIM or DK signature, not necessarily valid

-0.1

DKIM_VALID

Message has at least one valid
DKIM or DK signature

Mail Tester Knowledge Base

If you failed any of the tests above, please visit our [Mail Tester Knowledge Base](#).